Material Safety Data Sheet

sion: 1.0	Revision Date: 12/20/2011	Print Date: 02/16/2
CTION 1. PRODUCT AND C	OMPANY IDENTIFICATION	
Product name:	GREASED LIGHTNING® MULTI-PURPOSE CLEANER & DEGREASER	
Product Use Description:	Home Care Product	
Company:	HomeCare Labs, Inc. P.O. Box 491150 Lawrenceville, GA 30049-1002	
	Telephone: (800) 949-7946	
Emergency telephone number:	CHEMTREC: (24 hours) 800-424-9300, 703-527-3887 Poison Control Center (Medical) :: (877) 800-5553	
	For additional emergency telephone numbers see section	16 of the Safety Data Sheet.
Prepared by:	Product Safety Department (US) +1 866-430-2775	
12/20/2011	MSDSRequest@chemtura.com	

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

<u>Form</u> : liquid	<u>Colour</u> : clear	Odour: Clean, fresh fragra	ance
Hazard Summary	Cau Harr Harr	burns may occur. ses eye irritation. nful if swallowed. nful by inhalation. ses skin irritation.	
OSHA Hazards	: IRR	ITANT	
Potential Health Eff			
Primary Routes of E	ntry : Eye Inha Inge	contact lation stion contact	
Inhalation	: Harr	mful if inhaled.	

ersion: 1.0	Revision Date: 12/20/2011	Print Date: 02/16/201
	Causes respiratory tract irritation.	
Skin	: Causes skin irritation.	
Eyes	: Eye burns may occur. Causes eye irritation.	
Ingestion	: Ingestion may cause gastrointestinal irritation, naus vomiting and diarrhoea.	ea,
Chronic Exposure	: None known.	
Carcinogenicity:		
IARC	No component of this product present at levels greater identified as probable, possible or confirmed human ca	
OSHA	No component of this product present at levels greate equal to 0.1% is identified as a carcinogen or potential by OSHA.	r than or
NTP	No component of this product present at levels greater identified as a known or anticipated carcinogen by NTF	
ACGIH	No component of this product present at levels greater identified as a carcinogen or potential carcinogen by A	than or equal to 0.1% is

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component / CAS-No.	Weight percent
(2-methoxymethylethoxy)propanol 34590-94-8	< 5 %

SECTION 4. FIRST AID MEASURES

Inhalation	 Remove person to fresh air. If signs/symptoms continue, get medical attention Call a physician or poison control centre immediately.
Skin contact	: Rinse immediately with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Eye contact	: Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a physician or poison control centre immediately.
Ingestion	 If swallowed, DO NOT induce vomiting. Drink 1 or 2 glasses of water. Call a physician or poison control centre immediately.
TION 5. FIREFIGHTING	·····

Flammable properties

Flash point		Revision Date: 12/20/2011	Print Date: 02/16/201
	:	: 200 °F (93 °C)	
Fire fighting			
Suitable extinguishing media	:	Use extinguishing measures that are appropr surrounding environment.	iate to local circumstances and the
Further information	:	: There are no unusual fire and explosion hazards known.	
Protective equipment and p	orec	autions for firefighters	
Special protective equipment for firefighters	. :	In the event of fire, wear self-contained breath Thoroughly decontaminate fire fighting equipr wearing apparel after the incident.	
CTION 6. ACCIDENTAL RELE	EAS	E MEASURES	
Methods for containment / Methods for cleaning up	:	Using appropriate protective clothing and safe material. Clean-up methods - small spillage Flush with plenty of water. Clean-up methods - large spillage Soak up with inert absorbent material. Using clean dedicated equipment, sweep and contaminated soil, and other contaminated m containers for disposal.	scoop all spilled material,
Additional advice	:	Treat recovered material as described in the	section "Disposal considerations".
CTION 7. HANDLING AND ST	OR,	AGE	
Handling			
Handling procedures	:	Avoid contact with mucous membranes. Avoid contact with skin, eyes and clothing. Mix only with water. Do not mix with other chemicals. Wash hands thoroughly with soap and water drinking or using tobacco. Do not handle until all safety precautions have	
Storage			
Requirements for storage areas and containers	:	Store in original container. Store in a cool, dry, well ventilated area away Keep out of reach of children. Keep away from animals.	r from heat or open flame.
CTION 8. EXPOSURE CONTR	₹OL:	S/PERSONAL PROTECTION	
CTION 8. EXPOSURE CONTF Exposure Guidelines	₹OL:	S/PERSONAL PROTECTION	
CTION 8. EXPOSURE CONTR Exposure Guidelines Components with workplac			

ersion: 1.0	Revision Date:	12/20/2011	Print Date: 02/16/2012
	Update	parameters	
(2-methoxymethylethoxy)propanol	TWA	100 ppm	
34590-94-8	ACGIH		
	2007-01-01		
	STEL	150 ppm	
	ACGIH		
	2007-01-01		
	TWA	100 ppm	
	OSHA P1	600 mg/m3	
	1997-08-04		
	TWA	100 ppm 600 mg/m3	
	OSHA P0	600 mg/m3	
	1989-01-19		
	STEL	150 ppm 900 mg/m3	
	OSHA P0	900 mg/m3	
	1989-01-19		
2,2'-iminodiethanol 111-42-2	TWA	3 ppm	
111-42-2	OSHA P0	15 mg/m3	
	1989-01-19		
	TWA	1 mg/m3	
	ACGIH		
	2009-01-01		

Engineering measures	: Use with adequate ventilation.		
Engineering measures	Not expected to present a significant inhalation hazard under anticipated conditions of normal use. Ensure that eyewash stations and safety showers are close to the workstatic location.		
Personal protective equip	ment		
Eye protection	: Safety glasses with side-shields		
Hand protection	: Wear rubber gloves.		
Respiratory protection	If product is used in an area with	protective equipment normally required. rea with poor ventilation and mist or vapor is expected SHA/ANSI standards may be required.	
Hygiene measures	: Handle in accordance with good Remove and wash contaminated Wash thoroughly after handling.	industrial hygiene and safety practice. d clothing before re-use.	
.0	4 / 10	SDS Number: 00000009696	

Version: 1.0

Revision Date: 12/20/2011

Print Date: 02/16/2012

Appearance		
Form Colour	: liquid : clear	
Odour	: Clean, fresh fragrance	
Safety data		
Flash point	: 200 °F (93 °C)	
рН	: 12.8	
Freezing point	: Note: Not Available	
Boiling point/boiling range	: 213.1 °F (100.6 °C)	
Vapour pressure	: Note: Not Available	
Density	: 0.995 - 1.015 g/cm3	
Water solubility	: 100 g/l	
Relative vapour density	: Note: Heavier than air	
Evaporation rate	: Note: Equal to water	
CTION 10. STABILITY AND RE	EACTIVITY	
Conditions to avoid	: Remarks: High temperatures. Poor ventilation. Contamination	
Materials to avoid	: Remarks: Ammonia Chlorine bleach Oxidizing agents Other chemicals	
Hazardous decomposition	: Note: Carbon oxides	
products Hazardous reactions	: Hazardous polymerisation does not occ	ur.
CTION 11. TOXICOLOGICAL I	NFORMATION	
Acute oral toxicity (2- methoxymethylethoxy)propa	: LD50: > 2,000 mg/kg Species: rat	

sion: 1.0	Revision Date: 12/20/2011	Print Date: 02/16/20
Acute inhalation toxicity (2- methoxymethylethoxy)propa nol	: LC50: Exposure time: 7 h Species: rat	
Acute dermal toxicity (2- methoxymethylethoxy)propa nol	: LD50: > 2,000 mg/kg Species: rabbit	
Skin irritation	: Remarks: May cause skin irritation.	
Eye irritation	: Remarks: Irritating to eyes. Eye burns may occur.	
Sensitisation (2- methoxymethylethoxy)propa nol	: Species: Human Classification: Did not cause sensitization on labo	oratory animals.
Teratogenicity (2- methoxymethylethoxy)propa nol	: Species: rat Application Route: Inhalation	
CMR effects (2- methoxymethylethoxy)propa nol	: Carcinogenicity: Animal testing did not show any Mutagenicity: Animal testing did not show any m Teratogenicity: No effects on or via lactation Reproductive toxicity: No toxicity to reproduction	utagenic effects.
ECOLOGICAL INFORMATION		
Toxicity to fish (2- methoxymethylethoxy)propa nol	 LC50: > 5,000 mg/l Exposure time: 96 h Species: Pimephales promelas (fathead minnow static test)
Toxicity to daphnia and other a (2- methoxymethylethoxy)propa nol	aquatic invertebrates : LC50: 1,919 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) static test	
Toxicity to algae (2- methoxymethylethoxy)propa	: EC50: > 969 mg/l Exposure time: 72 h Species: Algae Growth inhibition	

sion: 1.0	Revision Date: 12/20/2011	Print Date: 02/16/2
nol	Survival and growth Species: Daphnia magna (Water flea) flow-through test	
Bioaccumulation (2- methoxymethylethoxy)propa nol	: Bioconcentration factor (BCF): < 1	
Biodegradability (2- methoxymethylethoxy)propa nol	: aerobic Result: Readily biodegradable. 79 %	
Further information on ecolo	ogy	
Additional ecological information	: no data available	
TION 13. DISPOSAL CONSIE	DERATIONS	
Further information	: Dispose of waste material in compliance with all fed local regulations. Recycle or dispose of container in trash.	eral, state, and
Contaminated packaging	: Do not re-use empty containers.	
TION 14. TRANSPORT INFO	Rinse thoroughly before discarding in trash. Offer rinsed packaging material to local recycling fac	cilities.
TION 14. TRANSPORT INFO DOT Not dangerous goods	Offer rinsed packaging material to local recycling fac	cilities.
DOT	Offer rinsed packaging material to local recycling fac	cilities.
<u>DOT</u> Not dangerous goods	Offer rinsed packaging material to local recycling fac	cilities.
DOT Not dangerous goods IATA UN number Description of the goods Class Packing group Labels	 Offer rinsed packaging material to local recycling fac RMATION : 3267 : Corrosive liquid, basic, organic, n.o.s. (CONTAINS SODIUM HYDROXIDE) : 8 : III : 8 	cilities.
DOT Not dangerous goods	 Offer rinsed packaging material to local recycling fac RMATION : 3267 : Corrosive liquid, basic, organic, n.o.s. (CONTAINS SODIUM HYDROXIDE) : 8 : III : 8 : no 	cilities.
DOT Not dangerous goods IATA UN number Description of the goods Class Packing group Labels Environmentally hazardous	 Offer rinsed packaging material to local recycling fac RMATION : 3267 : Corrosive liquid, basic, organic, n.o.s. (CONTAINS SODIUM HYDROXIDE) : 8 : III : 8 	cilities.
DOT Not dangerous goods	 Offer rinsed packaging material to local recycling factors RMATION : 3267 : Corrosive liquid, basic, organic, n.o.s. (CONTAINS SODIUM HYDROXIDE) : 8 : III : 8 : no : 3267 : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE) : 8 : no : 3267 : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE) : 8 : III : 8 : 1II : 5-A 	cilities.
DOT Not dangerous goods	 Offer rinsed packaging material to local recycling factors RMATION : 3267 : Corrosive liquid, basic, organic, n.o.s. (CONTAINS SODIUM HYDROXIDE) : 8 : III : 8 : no : 3267 : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE) : 8 : III : 3267 : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE) : 8 : 111 	cilities.

Version: 1.0

Revision Date: 12/20/2011

Print Date: 02/16/2012

Not recommended for shipment by air Limited Quantity exemption possible

OSHA Hazards	: Irritant
SARA 302 Reportable	:
Quantity SARA 311/312 Hazards	: Acute Health Hazard
EPCRA - EMERGENCY PL	ANNING COMMUNITY RIGHT - TO - KNOW
SARA 302 Reportable Quantity	:
SARA 304 Components	: This material does not contain any components with a section 304 EHS RQ.
Massachusetts Right To Know Components	: (2-methoxymethylethoxy)propanol 34590-94-8OSHA a. United states occupational safety and health administration substances, 29 cfr 1910.1000, sub part z.ACGIH American
	conference of governmental industrial hygienists threshold limit value (TLV) substancesCERCLA hazardous substances. 40 cfr part 302. May be subject to emergency release notification under SARA Title III. dodecylbenzenesulphonic acid 27176-87-0CERCLA hazardous substances. 40 cfr part 302. May be subject to emergency release notification under SARA Title III.
Pennsylvania Right To Know Components	: water 7732-18-5
-	(2-methoxymethylethoxy)propanol 34590-94-8OSHA a. United states occupational safety and health administration substances, 29 cfr 1910.1000, sub part z. ACGIH American conference of governmental industrial hygienists threshold limit value (TLV) substances CERCLA hazardous substances. 40 cfr part 302. May be subject to emergency release notification under SARA Title III.
	dodecylbenzenesulphonic acid 27176-87-0CERCLA hazardous substances. 40 cfr part 302. May be subject to emergency release notification under SARA Title III.

ersion: 1.0	Revision Date: 12/20/2011	Print Date: 02/16/201
	sodium hydroxide 1310-73-2OSHA a. United stat occupational safety and health administration sub cfr 1910.1000, sub part z. ACGIH American conference of governmental inc hygienists threshold limit value (TLV) substances NFPA49 national fire protection association 'haza chemicals data' substances (NFPA 49). CERCLA hazardous substances. 40 cfr part 302. subject to emergency release notification under S Toxic chemical release substances. 52 fr 21152 (Subject to SARA Title III.	ostances, 29 dustrial urdous May be SARA Title III.
	2,2'-iminodiethanol 111-42-2ACGIH American co governmental industrial hygienists threshold limit substances Toxic chemical release substances. 52 fr 21152 (Subject to SARA Title III.	value (TLV)
New Jersey Right To Know Components	: water 7732-18-5 (2-methoxymethylethoxy)propanol 34590-94-8 C United states occupational safety and health adm substances, 29 cfr 1910.1000, sub part z. ACGIH American conference of governmental inc hygienists threshold limit value (TLV) substances CERCLA hazardous substances. 40 cfr part 302. subject to emergency release notification under S	inistration dustrial May be
	dodecylbenzenesulphonic acid 27176-87-0 CER hazardous substances. 40 cfr part 302. May be su emergency release notification under SARA Title	ubject to
California Prop. 65 Components	: This product does not contain any chemicals know cancer, birth defects, or any other reproductive ha	
CTION 16. OTHER INFORI	ΜΑΤΙΟΝ	
Further information		
HMIS Classification	: Health hazard: 3 Flammability: 1 Physical hazards: 0	
6.0	9 / 10 SDS N	Number: 00000009696

Version: 1.0	Revision Date: 12/20/2011	Print Date: 02/16/2012
NFPA Classification	: Health hazard: 3 Fire Hazard: 1 Reactivity Hazard: 0	

Other Emergency Phone Number

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.